

Latiguillo Utp Ideal Cruzado Cat-5e Blanco



General data

The Cat.5e RJ45 **crossover** patch cable guarantees very good characteristics for 2.5 Gigabit Ethernet applications. The moulded grommet captivates with its **slim design** and thus simplifies the insertion process in cramped conditions.

Cross section 4 x 2 x **AWG24/7**
Moulded grommet, slim design

Allgemeine Daten

Locking lever	False
Category	5e
Allocation	acc. TIA/EIA 568B
Model	Unshielded
Material outer sheath	Polyvinylchlorid (PVC)
Fire retardant version	True
Pin assignment	crossed
Contacts	Gold plated µ" gold plated
Cable type	U/UTP
Length imprint	True
Colour anti-kink sleeve	red
Colour outer sheath	grey
Anti-kink sleeve	moulded-on
Connector type	RJ45 standard
Halogen free	False

Latiguillo Utp Ideal Cruzado Cat-5e Blanco

Mechanische Eigenschaften

Bending radius	27 mm
----------------	-------

Kabelaufbau

Conductor Material	CCA
Type of connector connection 2	RJ45 8(8)
Type of connector connection 1	RJ45 8(8)
AWG-size	24/7
Cable construction	4x2

Kabelmantel

Oil resistant (according to EN 60811-404)	False
Printing	UTP Cat.5E 100MHZ 24AWGX4P Patch ISO/IEC 11801 & EN 50173 verified
Silicone-free	True
Outer diameter of the cable	5.4 mm

Umgebungsbedingungen

Temperature range	0 – 60 °C
-------------------	-----------

Elektrische Eigenschaften

NVP value	- %
POE class	PoE+ acc. to IEEE802.3at

Übertragungstechnische Eigenschaften

Transmission	2.5Gbit
Bandwidth	100MHz

Normen, Zulassungen, Zertifizierungen


Connector	IEC 60603-7-2
Oil resistant (acc. EN 60811-2-1)	False

Available variants

ArtNr.	Bezeichnung	Length	Längentoleranz
K8097.0,5	RJ45 Crossover Patch cable U/UTP, Cat.5e, PVC, CCA, 0.5m, grey (red boot)	0.5 m	±5 %
K8097.7,5	RJ45 Crossover Patch cable U/UTP, Cat.5e, PVC, CCA, 7.5m, grey (red boot)	7.5 m	±5 %

Latiguillo Utp Ideal Cruzado Cat-5e Blanco

Drawings



Item No.	Colour Cable / Boot
K8097.x	grey / red

